Notice of Allowability	Application No.	Applicant(s)	
	10/670,322	AHN, YOUNG-MAN	
	Examiner	Art Unit	1
	Tuan T. Lam	2816	K
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not include n will be mailed in due o	d course. THIS
1. This communication is responsive to the preliminary amen	<u>dment filed 9/26/2003</u> .		
2. X The allowed claim(s) is/are <u>1-11</u> .			
3. The drawings filed on 26 September 2003 are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No		ion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the req	uirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 	itted. Note the attached EXAMINER es reason(s) why the oath or declars	R'S AMENDMENT or No ation is deficient.	OTICE OF
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 9/26/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. Notice of Informal F 6. Interview Summary Paper No./Mail Da 7. Examiner's Amenda 8. Examiner's Statema 9. Other	r (PTO-413), te ment/Comment	

Application/Control Number: 10/670,322 Page 2

Art Unit: 2816

. 🜓

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or fairly suggest passing of the external clock signal responsive to the comparison signal, delays the external clock signal for a predetermined time, inverts the delayed external clock signal, and generates the internal clock signal as having a pulse width smaller than a pulse width of the external clock signal by performing a NAND operation on the external clock signal and the inverted delayed external clock signal, the internal clock signal having rising and falling edges which are all synchronized with the external clock signal as called for in claim 1, transmission gate, having an input coupled to the external clock signal, that is switchably responsive to the comparison signal to selectively provide the external clock signal as a transmission gate output signal at a gate output terminal, an inverter circuit, coupled to the gate output terminal, that delays an inverts the transmission gat output signal to provide an inverter output signal, and a logical gate that performs a logical operation on the external clock signal and the inverter output signal to provide the internal clock signal as called for in claim 5. Therefore, claims 1-11 are presently allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T. Lam whose telephone number is 571-272-1744. The examiner can normally be reached on Monday to Friday (7:30 am to 6:00pm).

- 🐉

Art Unit: 2816

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TIMOTHY P CALLAHAN can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Tuan T. Lam Primary Examiner Art Unit 2816

mella

Page 3

7/22/2004